



fine handknitting yarns

SEARCH

[New This Season](#) [Patterns](#) [Yarns](#) [Free KnitBits](#) [Yarn Shops](#) [Quick Links](#) [Blog](#) [Multimedia](#)



[FREE KnitBits](#) [Berroco Blog](#) [Email This Page](#)

[>> Preview](#)

FREE PATTERNS

Baby Poonam

knit in **Comfort™ DK**
Skill level: **Intermediate**

KNIT



[enlarge model](#)

[Schematic](#) | [Stitch Glossary](#)

Yarn used ...



Comfort DK

Like this pattern? You may also like these patterns from our recent booklets . . .



WEB EXCLUSIVE
www.berroco.com

A mini version of our woman's pullover **Poonam**, Baby Poonam is an aran pullover with buttoned shoulder.



PDF Pattern Instructions

(If you can't open this PDF file you need Adobe Acrobat Reader. Get it [here](#).)

Shown in size Newborn (3 mos)

SIZES

Directions are for infant's size Newborn (3 mos). Changes for sizes Small (6 mos) and Medium (9 mos) are in parentheses.

FINISHED MEASUREMENTS

Chest – 19(21-23)“

Length – 9(10-11)“

MATERIALS

2(3-3) Balls **BERROCO COMFORT DK** (50 grs), #2703 Barley

Straight knitting needles, sizes 4 (3.50 mm) and 6 (4.00 mm) OR SIZE TO OBTAIN GAUGE

Cable needle (cn)

2 St markers

Three 1/2“ buttons

GAUGE

22 sts = 4“; 32 rows = 4“ in Texture St on larger needles

TO SAVE TIME, TAKE TIME TO CHECK GAUGE

STITCH GLOSSARY**CF4**

Sl 2 sts to cn and hold in FRONT, k2, then k2 from cn

CB4

Sl 2 sts to cn and hold in BACK, k2, then k2 from cn

RT4

Sl 2 sts to cn and hold in BACK, k2, then p2 from cn

LT4

Sl 2 sts to cn and hold in FRONT, p2, then k2 from cn

TEXTURED PAT (Multiple of 4 sts + 1)

Row 1 (RS): K1, * p3, k1, rep from * across.

Row 2: Purl.

Row 3: * P2, k1, p1, rep from * to last st, end p1.

Row 4: Purl.

Rep these 4 rows for Textured Pat.

CABLE PATTERN A (Worked over 10 sts)

Row 1 (RS): (P2, k2) twice, p2.

Row 2 and all WS rows: (K2, p2) twice, k2.

Row 3: P2, sl 4 sts to cn and hold in FRONT, k2, sl the 2 purl sts from cn back to LH needle, move cn to BACK of work; p2 from LH needle, k2 from cn, then p2.

Rows 5 and 7: Rep Row 1.

Row 8: Rep Row 2.

Rep these 8 rows for Cable Pat A.

CABLE PATTERN B (Worked over 32 sts)

Row 1 (RS): K2, p12, CF4, p12, k2.

Row 2 and all WS rows: K the k sts and p the p sts as they face you.

Row 3: K2, p10, CB4, CF4, p10, k2.

Row 5: K2, p8, RT4, k4, LT4, p8, k2.

Row 7: K2, p6, RT4, p2, CF4, p2, LT4, p6, k2.

Row 9: K2, p4, CB4, p4, k4, p4, CF4, p4, k2.

Row 11: K2, p2, RT4, LT4, p2, CF4, p2, RT4, LT4, p2, k2.

Row 13: K2, p2, k2, p4, LT4, k4, RT4, p4, k2, p2, k2.

Row 15: K2, p10, LT4, RT4, p10, k2.

Row 16: Rep Row 2.

Rep these 16 rows for Cable Pat B.

BACK

With smaller needles, cast on 58(62-70) sts.

Ribbing: Row 1 (RS): K2, * p2, k2, rep from * across.

Row 2: P2, * k2, p2, rep from * across. Rep these 2 rows until piece measures 1 1/2" from beg, end on RS. Change to larger needles and p the next row, dec 5 sts across – 53(57-65) sts. Work even in Textured Pat until piece measures 4 1/2(5-5 1/2)" from beg, end on WS. Mark beg and end of last row for beg of armholes. Work even until armholes measure 4(4 1/2-5)", end on WS. Bind off.

Button Band: Measure in 2 3/4(3-3 1/2)" from left side and mark bound-off edge. With RS facing, using smaller straight needles, beg at marker, pick up and k24(24-28) sts along bound-off edge to left side. Work even in k2, p2 ribbing for 3/4", end on WS. Bind off.

FRONT

Work same as back until piece measures 1 1/2" from beg, end on RS – 58(62-70) sts. Change to larger needles and p the next row, inc 16(18-16) sts across – 74(80-86) sts.

Establish Pat Sts: Row 1 (RS): K2(1-0), work Row 1 of Textured Pat over 9(13-17) sts, place marker, work Row 1 of Cable Pat A over 10 sts, work Row 1 of Cable Pat B over 32 sts, work Row 1 of Cable Pat A over 10 sts, work Row 1 of Textured Pat over 9(13-17) sts, k2(1-0).

Row 2: P2(1-0), work Row 2 of Textured Pat to 1st marker, work Row 2 of Cable Pat A over 10 sts, work Row 2 of Cable Pat B over 32 sts, work Row 2 of Cable Pat A over 10 sts, work Row 2 of Textured Pat over 9(13-17) sts, p2(1-0). Work even in pats as established until piece measures 4 1/2(5-5 1/2)" from beg, end on WS. Mark beg and end of last row for beg of armholes. Work even until armholes measure 3(3 1/2-4)", end on WS.

Shape Neck: Next Row (RS): Work 29(30-33) sts, join another ball of yarn and bind off center 16(20-20) sts, work to end. Working both sides at once, bind off 3 sts at each neck edge once, 2 sts once, then dec 1 st at each neck edge every RS row once – 23(24-27) sts each side. When armholes measure 3 3/4(4 1/4 - 4 3/4)", end on RS.

Buttonhole Band: Next Row (WS): Bind off 23(24-27) sts with 1st ball of yarn, right shoulder; with 2nd ball, work across 23(24-27) sts, inc 1 st at end – 24(24-28) sts. Work even in k2, p2 ribbing for 1/4", end on WS.

Buttonhole Row (RS): Work 3(3-5) sts, * yo, k2 tog, work 6 sts, rep from * once more, yo, k2 tog, work to end. Work even in ribbing as established until band measures 3/4", end on WS. Bind off in ribbing. Sew right

shoulder seam.


Neckband: With RS facing, using larger needles, beg at edge of buttonhole band, pick up and k56(62-62) sts around entire neck edge. Knit 2 rows. Bind off knitwise on WS. Sew buttons to button band and button shoulder.

SLEEVES

With RS facing, using larger needles, pick up and k49(57-61) sts along armhole edge between markers (working through double thickness of shoulder bands for left sleeve). Beg with Row 2, work even in Textured Pat for 1", end on WS. Dec 1 st each side of next row, then every 1/2" 6(8-8) times more – 35(39-43) sts. Work even until sleeve measures 5 1/2(6 1/2-7 1/2)" from beg, end on WS, dec 1 st at end of last row – 34(38-42) sts. Change to smaller needles and work even in ribbing same as back for 3/4", end on WS. Bind off in ribbing.

FINISHING

Sew side and sleeve seams.



[Home](#) | [Yarn Shops](#) | [Yarns](#) | [Free KnitBits®](#) | [New This Season](#) | [Free Patterns](#) | [Blog](#) | [Multimedia](#)
[Pattern Corrections](#) | [Stitch Glossary](#) | [Links](#) | [Handeze® Glove](#) | [Scarf Central](#)
[About Us](#) | [Privacy Statement](#) | [FAQs](#) | [Contact Us](#)

Berroco, Inc. P.O. Box 367, 14 Elmdale Road, Uxbridge, MA 01569-0367 USA
 copyright 2008 Berroco