


Beth

crocheted in [Touché™](#) or [Pure® Pima](#) | [color info](#)

Skill level: Easy



[click to enlarge](#)



[click to enlarge](#)

[Schematic](#) | [Abbreviations & Terms](#)



Alternate Yarn:
[Pure® Pima](#)



[Touché](#)



Our wearable crocheted tank in Touché has side seam slits, wide shoulder straps and a cropped length.

Shown in size Small



[PDF Pattern Instructions](#)

(If you can't open this PDF file you need Adobe Acrobat Reader. Get it [here](#).)

SIZES

Directions are for women's size X-Small. Changes for sizes Small, Medium and Large are in parentheses.

FINISHED MEASUREMENTS

Bust – 33(35-37-39)"

Length – 20(20-20 1/2-21)" (Including straps)

MATERIALS

6(6-7-8) Hanks **BERROCO TOUCHÉ** (50 grs), #7921 Blue Carnation

Alternate Yarn: 6(6-6-7) Hanks **BERROCO PURE PIMA** (50 grs)

Crochet hook, size 4.00 mm (F) OR SIZE TO OBTAIN GAUGE

GAUGE

18 dc = 4"; 8 rows = 4" in dc with size 4.00 mm (F) crochet hook

TO SAVE TIME, TAKE TIME TO CHECK GAUGE

BACK

With crochet hook, ch 79(84-89-91).

Establish Border Pat: Row 1: Dc in 5th ch from hook, ch 1, skip 1 ch, dc in next ch, ch 1, skip 1 ch, dc in each of the next 5(5-5-6) ch, * (ch 1, skip 1 ch, dc in next ch) twice, ch 1, dc in each of the next 5(6-7-7) ch, rep from * 4 times more, ** (ch 1, skip 1 ch, dc in next ch) twice, **, ch 1, skip 1 ch, dc in each of the next 5(5-5-6) ch, rep between **'s once more, ch 1, skip 1 ch, dc in last ch. Turn.

Row 2: Ch 4 (counts as 1 dc and ch-1), skip ch-1space, (dc in next dc, skip ch-1 space, ch 1) twice, dc in each of the next 5(5-5-6) dc, * (ch 1, skip ch-1 space, dc in next dc) twice, ch 1, skip ch-1 space, dc in each of the next 5(6-7-7) dc, rep from * 4 times more, (ch 1, skip ch-1 space, dc in next dc) twice, ch 1, skip ch-1 space, dc in each of the next 5(5-5-6) dc, (ch 1, skip ch-1 space, dc in next dc) 3 times. Turn. Rep Row 2 four times more. NOTE: Work last dc in 2nd ch of turning ch of previous row.

Establish Body Pat: Next Row: Ch 4 (counts as 1 dc and ch-1), skip ch-1 space, (dc in next dc, skip ch-1 space, ch 1) twice, dc in each dc and ch-1 space across to last 3 ch-1 spaces, (ch 1, skip ch-1 space, dc in next dc) twice, ch 1, dc in 2nd ch of turning ch. Turn. Rep this row until piece measures 11" from beg, inc 1 dc in center of last row.

Establish Top Pat: Row 1: Ch 4 (counts as 1 dc and ch-1), skip ch-1 space, (dc in next dc, skip ch-1 space, ch 1) twice, (dc in next dc, skip next dc, ch 1) 10(11-11-12) times, dc in next 5(6-7-7) dc's, * (skip next dc, ch 1, dc in next dc) twice, skip next dc, ch 1 *, dc in next 5(5-7-7) dc's, rep between *'s once more, dc in next 5(6-7-7) dc's, skip next dc, ch 1, (dc in next dc, skip next dc, ch 1) 12(13-13-14) times, dc in 2nd ch of turning ch. Turn.

Row 2: Ch 4 (counts as 1 dc and ch-1) skip ch-1 space, (dc in next dc, skip ch-1 space, ch 1) 12(13-13-14) times, dc in next 5(6-7-7) dc's, * skip next ch-1 space, ch 1, dc in next dc) twice, skip next ch-1 space, ch 1*, dc in next 5(5-7-7) dc's, rep between *'s once more, dc in next 5(6-7-7) dc's, skip next ch-1 space, ch 1, (dc in next dc, skip next ch-1 space, ch 1) 12(13-13-14) times, dc in 2nd ch of turning ch. Fasten off.

FRONT

Work same as back until Row 2 of Top Pat has been completed. Fasten off. Turn.

Shape Armholes: Skip 6(7-7-8) ch-1 spaces. Join yarn in next dc, ch 4 (counts as 1 dc and ch-1), skip next ch-1 space, dc in next dc, continue as for Row 2 to last 6(7-7-8) ch-1 spaces. Turn. Work in pat as established for 1 more row. Turn.

Right Strap: Ch 4 (counts as 1 dc and ch-1), skip next ch-1 space, (dc in next dc, skip next next ch-1 space, ch 1) 6 times, dc in last dc.


Work even in pat as established until strap measures 13(13-14-15)" or desired length. Fasten off.

Left Strap: Join yarn in 8th dc in from left edge and work to correspond to right strap.

FINISHING

Sew side seams. Top edging: Join yarn and sc across top edge, from strap to strap, working 1 sc in each dc and ch-1. Repeat across front neck edge.

Try on garment and position straps, adjusting length if necessary. Pin edges of straps to back then sew in place.



[Home](#) | [Yarn Shops](#) | [Yarns](#) | [Free KnitBits®](#) | [New This Season](#) | [Free Patterns](#) | [Blog](#) | [Multimedia](#)
[Pattern Corrections](#) | [Abbreviations & Terms](#) | [Links](#) | [Handeze® Glove](#) | [Scarf Central](#)
[About Us](#) | [Privacy Statement](#) | [FAQs](#) | [Contact Us](#)

Berroco, Inc. P.O. Box 367, 14 Elmdale Road, Uxbridge, MA 01569-0367 USA
copyright 2010 Berroco